


Title: "METHOD OF ADJUSTING FIXED MIRROR OF DOUBLE-BEAM INTERFEROMETER AND INTERFEROMETRIC SPECTROPHOTOMETER"
First Named Inventor: Tadashi Kotani
Serial No. 10/600,795
Customer No. 7609; Docket No. NGB-14886
Page 1 of 5





Title: "METHOD OF ADJUSTING FIXED MIRROR OF DOUBLE-BEAM INTERFEROMETER AND INTERFEROMETRIC SPECTROPHOTOMETER"
First Named Inventor: Tadashi Kotani
Serial No. 10/600,795
Customer No. 7609; Docket No. NGB-14886
Page 2 of 5

FIG. 2A





FIG. 2B





Title: "METHOD OF ADJUSTING FIXED MIRROR OF DOUBLE-BEAM INTERFEROMETER AND INTERFEROMETRIC SPECTROPHOTOMETER" First Named Inventor: Tadashi Kotani

Serial No. 10/600,795
Customer No. 7609; Docket No. NGB-14886
Page 3 of 5

FIG. 3A





FIG. 3B





Title: "METHOD OF ADJUSTING FIXED MIRROR OF DOUBLE-BEAM INTERFEROMETER AND INTERFEROMETRIC SPECTROPHOTOMETER"
First Named Inventor: Tadashi Kotani
Serial No. 10/600,795
Customer No. 7609; Docket No. NGB-14886
Page 4 of 5

FIG. 4




FIG. 5 REFERENCE SIGNAL (R) -PHASE DIFFERENCE VERTICAL SIDE SIGNAL (V) PHASE DIFFERENCE HORIZONTAL SIDE SIGNAL (H)



Title: "METHOD OF ADJUSTING FIXED MIRROR OF DOUBLE-BEAM INTERFEROMETER AND INTERFEROMETRIC SPECTROPHOTOMETER"
First Named Inventor: Tadashi Kotani
Serial No. 10/600,795
Customer No. 7609; Docket No. NGB-14886
Page 5 of 5

FIG. 6A




FIG. 6B

